

09/22/00

JCS85 U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 1614.1077

First Named Inventor or Application Identifier:

Hiroyuki YOSHIZAWA

Express Mail Label No.

09/22/00
1614.1077
S. N. 1614.1077**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

**Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231**

1. ☒ Fee Transmittal Form
2. ☒ Specification, Claims & Abstract [Total Pages: 33]
3. ☒ Drawing(s) (35 USC 113) [Total Sheets: 11]
4. ☒ Oath or Declaration [Total Pages: 3]
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation by Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☐ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application, status still proper and desired.
15. ☒ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other:

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:[] Continuation [] Divisional [] Continuation-in-part (CIP) of prior application No: 1**18. CORRESPONDENCE ADDRESS**

21171

PATENT TRADEMARK OFFICE

NEW APPLICATION FEE TRANSMITTAL

Attorney Docket No. 1614.1077

Application Number

Filing Date

September 22, 2000

AMOUNT ENCLOSED

\$ 1,420.00

First Named Inventor

Hiroyuki YOSHIZAWA

FEE CALCULATION (fees effective 10/01/97)

CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
TOTAL CLAIMS	28	- 20 =	8	X \$ 18.00 =	\$ 144.00
INDEPENDENT CLAIMS	10	- 3 =	7	X \$ 78.00 =	546.00
MULTIPLE DEPENDENT CLAIMS (any number; if applicable)				+ \$240.00 =	0.00
				BASIC FILING FEE	690.00
				Total of above Calculations =	\$ 768.00
Surcharge for late filing fee, Statement or Power of Attorney (\$130.00)				+	0.00
Reduction by 50% for filing by small entity (37 CFR 1.9, 1.27 & 1.28).				-	0.00
				TOTAL FILING FEE =	\$ 1,380.00
Surcharge for filing non-English language application (\$130.00; 37 CFR 1.52(d))				+	0.00
Recordation of Assignment (\$40.00; 37 CFR 1.21(h)(1))				+	40.00
				TOTAL FEES DUE =	\$ 1,420.00


METHOD OF PAYMENT

- ☒ Check enclosed as payment.
- ☐ Charge "TOTAL FEES DUE" to the Deposit Account No., below.
- ☐ No payment is enclosed and no charges to the Deposit Account are authorized at this time.

GENERAL AUTHORIZATION

- ☒ If the above-noted "AMOUNT ENCLOSED" is not correct, the Commissioner is hereby authorized to credit any overpayment or charge any additional fees necessary to:
- | | |
|----------------------|--------------------|
| Deposit Account No. | 19-3935 |
| Deposit Account Name | STAAS & HALSEY LLP |
- ☒ The Commissioner is also authorized to credit any overpayments or charge any additional fees required under 37 CFR 1.16 (filing fees) or 37 CFR 1.17 (processing fees) during the prosecution of this application, including any related application(s) claiming benefit hereof pursuant to 35 USC § 120 (e.g., continuations/divisionals/CIPs under 37 CFR 1.53(b) and/or continuations/divisionals/CPAs under 37 CFR 1.53(d)) to maintain pendency hereof or of any such related application.

SUBMITTED BY: STAAS & HALSEY LLP

Typed Name	J. Randall Beckers	Reg. No.	30,358
Signature		Date	September 22, 2000

09667723-092200

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, Hiroyuki Yoshizawa, a citizen of Japan residing at Kawasaki, Japan have invented certain new and useful improvements in

ELECTRONIC APPARATUS, CONTROL APPARATUS AND STORAGE MEDIUM

of which the following is a specification : -

TITLE OF THE INVENTION

ELECTRONIC APPARATUS, CONTROL APPARATUS
AND STORAGE MEDIUM

5 BACKGROUND OF THE INVENTION

This application claims the benefit of a Japanese Patent Application No.11-304627 filed October 26, 1999, in the Japanese Patent Office, the disclosure of which is hereby incorporated by
10 reference.

1. Field of the Invention

The present invention generally relates to electronic apparatuses, control apparatuses and storage media, and more particularly to an
15 electronic apparatus having an electronic mail function, a control apparatus for controlling such an electronic apparatus, and a computer-readable storage medium which stores a program for causing a computer to have the electronic mail function.

20 In this specification, an electronic apparatus refers to an apparatus having an electronic mail function, and includes computers such as personal computers, word processors, electronic notebooks, and intelligent telephone sets
25 which includes various functions in addition to the normal telephone functions. In addition, the electronic mail function refers to a function including sending and/or receiving electronic mail (e-mail). The electronic mail function may of
30 course include functions of creating and editing electronic mail.

2. Description of the Related Art

Conventional electronic mail systems basically use a text-based signature file, and an
35 electronic mail is transmitted by adding a predetermined signature file or, by writing a signature within a document by character information.

09667723-092200

For this reason, the signature file itself does not have a specific function.

5 A multi-media electronic mail environment is already provided, and enables images such as photographs and/or audio to be included in the electronic mail, and also enables processing of audio-based or image-based electronic mail. However, the signature file remains in the text form.

10 Accordingly, if the signature file is copied, a third person can easily impersonate as another person. As a result, it is impossible to judge by a simple means whether or not a sender of the electronic mail is actually the person himself, thereby making the security of the electronic mail
15 poor.

For example, a Japanese Laid-Open Patent Application no.3-106141 proposes a document circulating system which displays on a circulating document an icon for indicating an existence of a
20 comment.

In addition, a Japanese Laid-Open Patent Application No.5-204795 proposes an electronic mail system which has the functions of displaying a destination and a portrait of the sender for
25 confirmation, listing people with the same name or position in a file, and transmitting the electronic mail based on a symbol such as the portrait.

Users of electronic mail are increasing every year due to the rapid growth of the Internet and intranet. Recently, communication functions and electronic mail software are in many cases installed as standard functions in an operating system (OS). Hence, the communication speed is increasing in the internet and local area networks (LANs). As a
35 result, it has recently become possible to exchange data having a large size which was realistically impossible to exchange conventionally due to the

09667723-092200

limited communication speed. In addition, even in the general electronic mail software and the like, documents having the HTML format are supported in most cases, and it is anticipated that the number of
5 users who will use such software will considerably increase in the future. Accordingly, it is desirable to further improve the electronic mail system to suit the multi-media electronic mail environment.

10 However, as is the case of the electronic mail system proposed in the Japanese Laid-Open Patent Application No.5-204795 described above, although the conventional proposed electronic mail system has the function of transmitting the
15 electronic mail based on the symbol such as the portrait, it is impossible to confirm at the receiving end that the received portrait and the sender of the electronic mail are the same person. For this reason, it is impossible to prevent a third
20 person from improperly copying the image of the electronic mail and impersonating as another person. In other words, there are problems in that there is no simple method of confirming that the sender of the electronic mail is the person himself, and that
25 the security of the electronic mail is poor.

In addition, the conventional electronic mail system provides no means of simply comprehending the importance of the received
30 electronic mail or the summary of the contents of the received electronic mail before reading the received electronic mail. As a result, there are problems in that the user cannot know the importance and the contents of the summary of the received electronic mail until the user actually reads the
35 received electronic mail, and that a so-called junk mail cannot be confirmed unless the junk mail is actually read.

09667723-092200

SUMMARY OF THE INVENTION

Accordingly, it is a general object of the present invention to provide a novel and useful
5 electronic apparatus, control apparatus and computer-readable storage medium, in which the problems described above are eliminated.

Another and more specific object of the present invention to provide an electronic apparatus,
10 control apparatus and storage medium which can prevent a third person from copying an electronic mail and impersonating as another person, enable confirmation by a simple means that a sender of the electronic mail is the person himself, and enable
15 the user to know the importance or summary of the contents of the received electronic mail to a certain extent before actually reading the received electronic mail.

Still another object of the present
20 invention is to provide an electronic apparatus comprising transmitting means for transmitting an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within signature information
25 of the electronic mail.

The electronic apparatus may further comprise generating means for generating the image information by inputting an image of the sender. In this case, the transmitting means may transmit the
30 electronic mail only when an error between the image information generated by the generating means and prestored image information is within a predetermined range. In addition, the image information may include an image related to at least
35 a face of the sender.

According to the electronic apparatus of the present invention, it is possible to prevent a

09057723-092200

third person from copying the electronic mail and impersonating as another person, and enable confirmation by a simple means that the sender of the electronic mail is the person himself, so that
5 the security of the electronic mail is improved.

The electronic apparatus may further comprise adding means for adding to the signature information a parameter which indicates an importance of the electronic mail. In this case,
10 the parameter may indicate the importance of the electronic mail by a display format of the signature information. In addition, the parameter may include information which indicates a display priority order of the electronic mail. The parameter may include
15 character, image and/or audio information indicating a summary of the electronic mail. Furthermore, the information which indicates the display priority order of the electronic mail may include at least one of a display position and a display timing of
20 the signature information.

According to the electronic apparatus of the present invention, the parameter which enables comprehension of the importance or the summary of the contents of the received electronic mail to a
25 certain extent before actually reading the electronic mail, is added to the signature information. As a result, it is possible to know the importance and the summary of the contents of the received electronic mail without actually
30 reading the received electronic mail, and the so-called junk mail can be confirmed without actually reading the junk mail.

The symbol may include information used for linking to the sender.

35 A further object of the present invention is to provide an electronic apparatus comprising receiving means for receiving an electronic mail in

09567723-092200

which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail, and display means for displaying
5 the image information of the electronic mail.

The image information may include an image related to at least a face of the sender.

According to the electronic apparatus of the present invention, it is possible to prevent a
10 third person from improperly copying the image of the electronic mail and impersonating as another person, and to confirm by a simple means that the sender of the electronic mail is the person himself.

The signature information may further
15 include a parameter which indicates an importance of the electronic mail, and the electronic apparatus may further comprise recognizing means for recognizing the importance based on the parameter.

The receiving means may receive
20 information which indicates an importance of the signature information, and the electronic apparatus may further comprise display control means for displaying, based on the information which indicates the importance of the signature information, the
25 signature information on the display means with a format which enables recognition of the importance. In this case, the information which indicates the importance of the signature information may be included within the signature information.

30 The receiving means may receive information which indicates a display priority order of the signature information, and the electronic apparatus may further comprise means for determining a display position of the signature information
35 based on the information which indicates the display priority order of the signature information.

The receiving means may receive

09667723-092200

information which indicates a display priority order of the signature information, and the electronic apparatus may further comprise means for determining a display timing of the signature information based on the information which indicates the display priority order of the signature information. In this case, the information which indicates the display priority order of the signature information may be included within the signature information.

10 The signature information may include character, image and/or audio information indicating a summary of the electronic mail.

 The symbol may include information used for linking to the sender.

15 Another object of the present invention is to provide an electronic apparatus comprising receiving means for receiving an electronic mail including at least signature information and information which indicates an importance thereof, 20 display means for displaying the electronic mail, and display control means for displaying the signature information on the display means with a format which enables recognition of the importance, based on the information which indicates the 25 importance.

 Still another object of the present invention is to provide an electronic apparatus comprising transmitting means for transmitting an electronic mail by adding to signature information 30 of the electronic mail a parameter which indicates an importance of the electronic mail.

 According to the electronic apparatus of the present invention, the parameter which enables comprehension of the importance or the summary of 35 the contents of the received electronic mail to a certain extent before actually reading the electronic mail, is added to the signature

00667723-092200

information. As a result, it is possible to know the importance and the summary of the contents of the received electronic mail without actually reading the received electronic mail, and the so-called junk mail can be confirmed without actually reading the junk mail.

A further object of the present invention is to provide a control apparatus for an electronic apparatus having transmitting means, comprising control means for controlling the transmitting means to transmit an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail.

Another object of the present invention is to provide a control apparatus for an electronic apparatus having receiving means for receiving an electronic mail and display means for displaying the received electronic mail, comprising control means for controlling the receiving means to receive an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail, and for controlling the display means to display the image information of the electronic mail.

Still another object of the present invention is to provide a control apparatus for an electronic apparatus having receiving means for receiving an electronic mail including at least signature information and information which indicates an importance thereof and display means for displaying the received electronic mail, comprising display control means for controlling the display means to display the signature information with a format which enables recognition of the importance, based on the information which indicates

00667723-092200

the importance.

A further object of the present invention is to provide a computer-readable storage medium which stores a program for causing a computer to

5 have an electronic mail function, comprising transmitting means for causing the computer to transmit an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within

10 signature information of the electronic mail.

Another object of the present invention is to provide a computer-readable storage medium which stores a program for causing a computer to have an electronic mail function, comprising receiving means

15 for causing the computer to receive an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail, and display means for causing the

20 computer to display the image information of the electronic mail.

Still another object of the present invention is to provide a computer-readable storage medium as which stores a program for causing a

25 computer to have an electronic mail function, comprising receiving means for causing the computer to receive an electronic mail including at least signature information and information which indicates an importance thereof, display means for

30 causing the computer to display the electronic mail, and display control means for causing the computer to display the signature information by the display means with a format which enables recognition of the importance, based on the information which indicates

35 the importance.

According to the storage medium of the present invention, it is possible to prevent a third

00667723-09200

person from improperly copying the image of the electronic mail and impersonating as another person, and to confirm by a simple means that the sender of the electronic mail is the person himself.

5 Therefore, according to the present invention, it is possible to prevent a third person from improperly copying the image of the electronic mail and impersonating as another person, and to confirm by a simple means that the sender of the
10 electronic mail is the person himself, thereby improving the security of the electronic mail. In addition, the parameter which enables comprehension of the importance or the summary of the contents of the received electronic mail to a certain extent
15 before actually reading the electronic mail, is added to the signature information. As a result, it is possible to know the importance and the summary of the contents of the received electronic mail without actually reading the received electronic
20 mail, and the so-called junk mail can be confirmed without actually reading the junk mail.

 Other objects and further features of the present invention will be apparent from the following detailed description when read in
25 conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

 FIG. 1 is a perspective view showing an embodiment of an electronic apparatus according to
30 the present invention;

 FIG. 2 is a system block diagram for explaining the construction of an important part within a main body of a computer system;

 FIG. 3 is a flow chart for explaining the
35 operation of a CPU of the computer system which forms a transmitting end apparatus;

 FIG. 4 is a diagram showing an embodiment

09667723-092200

of a multi-media signature file which is displayed;

FIG. 5 is a flow chart for explaining the operation of the CPU of the computer system which forms a receiving end apparatus;

5 FIG. 6 is a diagram showing a normal electronic mail;

FIG. 7 is a diagram showing a state where the multi-media signature file is displayed on a display before a mail text of an electronic mail;

10 FIG. 8 is a diagram showing a state where the multi-media signature file is displayed on the display within the mail text of the electronic mail;

FIG. 9 is a diagram showing a state where the multi-media signature file is displayed on the display after the mail text of the electronic mail;

15 FIG. 10 is a flow chart showing a part of the process shown in FIG. 5 in more detail; and

FIG. 11 is a flow chart for explaining the operation of the CPU of the computer system which forms a receiving end apparatus.

20

DESCRIPTION OF THE PREFERRED EMBODIMENTS

A description will be given of embodiments of the present invention, by referring to the drawings.

25

FIG. 1 is a perspective view showing an embodiment of an electronic apparatus according to the present invention. In this embodiment, the present invention is applied to a desk-top type computer system, however, the present invention is of course similarly applicable to a portable type computer system. This embodiment of the electronic apparatus employs an embodiment of a control apparatus according to the present invention which controls the electronic apparatus.

35

A computer system 100 shown in FIG. 1 generally includes a main body 101 which includes a

09667723-092200

CPU, a disk drive unit and the like, a display 102 for displaying an image on a display screen 102a in response to an instruction from the main body 101, a keyboard 103 for inputting various kinds of
5 information to the computer system 100, a mouse 104 for specifying an arbitrary position on the display screen 102a of the display 102, a modem 105 for accessing an external database or the like and downloading a program or the like stored in another
10 computer system, an image pickup unit 120 made of a CCD camera or the like, and one or more speakers 121 for reproducing sound.

A program (electronic mail software) which causes the computer system 100 to have an electronic
15 mail function is stored in a portable recording medium such as a disk 110 or, is downloaded from a recording medium 106 of another computer system using a communication unit such as the modem 105. A computer-readable storage medium according to the
20 present invention is formed by a recording medium such as the disk 110 which stores the program. A recording medium which forms the computer-readable storage medium according to the present invention is not limited to portable recording media such as the
25 disk 110, IC card memory, floppy disk, magneto-optical disk and CD-ROM, but also includes various kinds of recording media accessible by a computer system which is connected via a communication means or a communication unit such as the modem 105 and a
30 LAN.

FIG. 2 is a system block diagram for explaining the construction of an important part within the main body 101 of the computer system 100. In FIG. 2, the main body 101 generally includes a
35 CPU 201, a memory part 202 including a RAM, ROM and the like, a disk drive 203 for the disk 110, and a hard disk drive (HDD) 204 which are connected via a

00667723-002200

bus 200. In this embodiment, the display 102, the keyboard 103, the mouse 104, the image pickup unit 120 and the like are connected to the CPU 201 via the bus 200 as shown in FIG. 2, but these elements
5 may of course be connected directly to the CPU 201. In addition, the display 102 and the image pickup unit 120 may be connected to the CPU 201 via a known graphic interface (not shown) which processes input and output image data.

10 The construction of the computer system 100 is of course not limited to that shown in FIGS. 1 and 2, and various other known constructions may be used instead.

First, a description will be given of the
15 operation when the computer system 100 forms a transmitting end apparatus. FIG. 3 is a flow chart for explaining the operation of the CPU 201 of the computer system 100 which forms the transmitting end apparatus. The process shown in FIG. 3 corresponds
20 to a program which is stored in a first embodiment of the computer-readable storage medium according to the present invention.

In FIG. 3, a step 31 decides whether or not a mailer which generates a multi-media signature
25 file at the transmitting end is started. When the decision result in the step 31 becomes YES, a step 32 creates a mail text or body of an electronic mail by a procedure similar to a known procedure used to create a text-based electronic mail. A signature
30 file generally refers to a file which includes personal information of the user. On the other hand, a multi-media signature file refers to a signature file which adapts to multi-media. In this
embodiment, the mailer creates an electronic mail in
35 a HTML language which can simultaneously input audio and image in a multi-media format such as the HTML format or, in a language which conforms to the HTML

language. By using the HTML language which adapts to the multi-media, it is possible to include media such as the audio and image into the multi-media signature file.

5 At a stage where the electronic mail is to be transmitted, a step 33 starts a signature creating wizard for creating a multi-media signature file. A step 34 inputs personal information which is input by the user (sender) from the keyboard 103 or the like. The personal information includes information such as a name, position, URL of home page, telephone number, mail address, and Nifty ID, for example, which are necessary for the multi-media signature file.

15 A step 35 inputs an image which is input from the image pickup unit 120, including a face of the sender. The image which is input may be a still picture or a motion picture.

20 A step 36 carries out an image processing such as framing, with respect to the input image. The frame which is added to the input image and an accessory frame which is added to the multi-media signature file may be selected and determined depending on the user's preference. In addition, a step 37 inputs a parameter which is input from the keyboard 103 or the like by the user (sender) and indicates an importance of the electronic mail.

 The parameter includes at least one of information which indicates a display priority order of the electronic mail, and character, image and/or audio information which indicates a summary of the electronic mail. In addition, the information which indicates the display priority order of the electronic mail includes at least one of a display position and a display timing of the multi-media signature file. In other words, it is possible to indicate a display priority position of the

00667723-092200

electronic mail by at least one of the display position and the display timing of the multi-media signature file. Accordingly, the importance of the electronic mail can be indicated by a display format of the signature file, and the electronic mail can be displayed with a format which enables recognition of the importance of the electronic mail by changing the display position or the display timing of the signature file.

10 In the above described manner, preparations are made to transmit the electronic mail in which a symbol including image information which enables the sender to be specified therefrom is included within the signature file of the electronic mail. In this embodiment, the symbol includes image information and personal information of the sender, which enable the sender to be specified, and the parameter is added to the multi-media signature file. Thus, information used for linking to the sender is included in the symbol.

20 The information (parameter) which indicates the display priority order may be included in a header of the electronic mail or the mail text, instead of including the information (parameter) within the multi-media signature file. Furthermore, a parameter which indicates the importance of the electronic mail may replace the information or parameter which indicates the display priority order.

25 FIG. 4 is a diagram showing an embodiment of the multi-media signature file which is displayed. In FIG. 4, displayed information includes an image (input image) 1 of the user (sender), a frame 2 added to the input image 2, an accessory frame 3 added to the multi-media signature file, and personal information 4.

35 A step 38 decides whether or not an error between the image input in the step 35 and an image

09567723-092200

which is prestored in the memory part 202 or the like and includes the face of the user (sender) is within a predetermined range. The process returns to the step 35 if the decision result in the step 38 is NO. On the other hand, if the decision result in the step 38 is YES, a step 39 decides whether or not a mailer on a receiving end is adapted to the multi-media signature file. If the decision result in the step 39 is NO, a step 40 includes the multi-media signature file within the electronic mail, and the process advances to a step 41. On the other hand, the process advances to the step 41 if the decision result in the step 39 is YES.

The decision in the step 39 is made based on a selection which is made by the user from the mouse 104, for example. That is, the decision in the step 39 is made based on the selection which determines whether or not the electronic mail is to be transmitted for a mailer which is adapted to the multi-media signature file.

The step 41 enables transmission of the electronic mail. In addition, a step 42 transmits the created electronic mail to a communication network such as the Internet via a known mail server (not shown), and the process ends.

Next, a description will be given of the operation when the computer system 100 forms a receiving end apparatus having a mailer which is adapted to the multi-media signature file. FIG. 5 is a flow chart for explaining the operation of the CPU 201 of the computer system 100 which forms the receiving end apparatus. The process shown in FIG. 5 corresponds to a program which is stored in a second embodiment of the computer-readable storage medium according to the present invention.

In FIG. 5, a step 11 decides whether or not a mailer at the receiving end, which is adapted

09567723-092200

to the multi-media signature file, is started. When the decision result in the step 11 becomes YES, a step 12 receives an electronic mail from a transmitting end apparatus via a communication network such as the Internet and a known mail server (not shown). In this embodiment, it is assumed for the sake of convenience that the received electronic mail has been created by the process described above in conjunction with FIG. 3. Further, it is assumed that information p which indicates the display priority order of the electronic mail is added to the multi-media signature file as the parameter indicating the importance of the electronic mail or, the parameter is included in the mail text or header of the electronic mail.

A step 13 decides whether or not the received electronic mail includes a multi-media signature file. If the decision result in the step 13 is NO, the received electronic mail is a normal or ordinary electronic mail such as that shown in FIG. 6, and thus, a step 14 displays the normal electronic mail on the display 102 by a known means, and the process ends. The normal electronic mail shown in FIG. 6 is not adapted to the multi-media signature file, and is basically text-based.

On the other hand, if the decision result in the step 13 is YES, a step 15 displays the received electronic mail on the display 102 by including the importance of the electronic mail in a list of the electronic mail. In this embodiment, the received electronic mail is displayed by including the display priority order information p in the electronic mail. In this case, the list of the electronic mail is basically the same as a known list, except that an item corresponding to the display priority order information p is added.

A step 16 displays the multi-media

09667723-092200

signature file on the display 102, based on the display priority order information p. If it is assumed for the sake of convenience that there are three kinds of display priority order information p and that the lower the value of the display priority order information p the higher the display priority order, the process advances to a step 17 if the display priority order information p is p = 0, to a step 18 if p = 2, and to a step 19 if P 3.

If the display priority order information p is p = 1 which indicates the highest importance of the electronic mail, the step 17 displays the multi-media signature file before or in front of the mail text of the electronic mail displayed in a step 20.

FIG. 7 is a diagram showing a state where a multi-media signature file 500 is displayed on the display 102 before the mail text of the electronic mail.

When the importance of the received electronic mail is high as in this particular case, the multi-media signature file 500 is displayed before the mail text of the electronic mail, so that the user (recipient) can first confirm the sender of the received electronic mail. In this case, the information of the sender specified by the multi-media signature

file 500 has an extremely high reliability, because measures are taken by the process shown in FIG. 3 so that a third person cannot impersonate the sender. Accordingly, the recipient can confirm by a simple means that the sender is the person himself. In

addition, since the multi-media signature file 500 is displayed first, that is, before the mail text of the electronic mail, the recipient can comprehend the importance and summary of the contents of the received electronic mail to a certain extent before actually reading the received electronic mail, thereby making it possible to distinguish important electronic mail from junk mail and the like.

002260-2276960

09657723-092200

If the display priority order information p is p = 2 which indicates the medium importance of the electronic mail, the step 18 displays the multi-media signature file within the mail text of the

5 electronic mail when displaying the electronic mail in the step 20. FIG. 8 is a diagram showing a state where the multi-media signature file 500 is displayed within a mail text 501 on the display 102. When the importance of the received electronic mail

10 is medium as in this particular case, the multi-media signature file 500 is displayed within the mail text 501 of the electronic mail, so that the user (recipient) can receive the electronic mail similarly to the normal or ordinary electronic mail.

15 Accordingly, since the multi-media signature file 500 is displayed within the mail text 501 of the electronic mail, the recipient can comprehend the importance and summary of the contents of the received electronic mail to a certain extent before

20 actually reading the received electronic mail. In this embodiment, the multi-media signature file 500 which is displayed within the mail text 501 is made up of personal information, similarly as in the case of receiving the normal electronic mail, however, it

25 is of course possible to also display image information and the like of the sender as in the case shown in FIG. 7.

If the display priority order information p is p = 3 which indicates the lowest importance of the electronic mail, the step 19 adjusts a

30 processing sequence so that the multi-media signature file is displayed after or in rear of the mail text of the electronic mail displayed in the step 20. FIG. 9 is a diagram showing a state where

35 the multi-media signature file 500 is displayed after the mail text 501 on the display 102. When the importance of the received electronic mail is

lowest as in this particular case, the multi-media signature file 500 is displayed after the mail text 501 of the electronic mail, so that the user (recipient) can simply judge whether or not to actually read the received electronic mail. In other words, because the multi-media signature file 500 is displayed after the mail text 501, the recipient can comprehend the importance and summary of the contents of the received electronic mail to a certain extent before actually reading the received electronic mail.

FIG. 10 is a flow chart showing the process of particularly the steps 11 through 13 shown in FIG. 5 in more detail. In FIG. 10, steps 61 through 65 correspond to the steps 11 through 13 shown in FIG. 5, a step 66 corresponds to the step 14 shown in FIG. 5, and a step 67 corresponds to the steps 15 through 20 shown in FIG. 5. In the process shown in FIG. 10, the display priority order information p is used as a flag, and a decision to determine whether the received electronic mail includes the multi-media signature file is made based on this flag.

In FIG. 10, the step 61 decides whether or not the mailer at the receiving end is started. When the decision result in the step 61 becomes YES, the step 62 receives the electronic mail from the transmitting end apparatus via the communication network such as the Internet and a known receiving end mail server (not shown). The step 63 confirms the received electronic mail which is received by the receiving end mail server. The step 64 inputs a header file of the received electronic mail, and the step 65 decides whether or not the input header file includes the flag which indicates the existence of the multi-media signature file. More particularly, this embodiment uses the display priority order

00557723-002200

information p as the flag.

Accordingly, when the received electronic mail is a normal or ordinary electronic mail having no flag, the process advances to the step 66 which carries out a mail process similar to that with respect to the normal electronic mail, and the process ends. On the other hand, if the received electronic mail includes the multi-media signature file and the flag exists, the process advances to the step 67 which carries out the mail process adapted to the multi-media signature file, and the process ends.

As described above, the parameter which indicates the importance of the electronic mail includes at least one of the information indicating the display priority order of the electronic mail, and the character, image and/or audio information indicating the summary of the electronic mail. In addition, the information indicating the display priority order of the electronic mail includes at least one of a display position and a display timing of the multi-media signature file. In the embodiments described above, the information indicating the display priority order of the electronic mail is used as the parameter, however, the user (recipient) can similarly comprehend the importance of the received electronic mail when the character, image and/or audio information indicating the summary of the electronic mail is used as the parameter. For example, the character information indicating the summary of the electronic mail may be related to a summary or the like of the mail text of the electronic mail. The image information indicating the summary of the electronic mail may be related to the kind or nature (urgent, normal, circulating, and the like) of the mail text of the electronic mail. Moreover, the audio information

09667723-092200

indicating the summary of the electronic mail may be related to an audio message for informing the kind or nature of the mail text of the electronic mail, for example. In this case, the audio message can be reproduced by a known means such as a plug-in driver module, and output from one or more speakers 121 shown in FIG. 1.

Next, a description will be given of the operation when the computer system 100 forms a receiving end apparatus having a mailer which is not adapted to the multi-media signature file. FIG. 11 is a flow chart for explaining the operation of the CPU 201 of the computer system 100 which forms the receiving end apparatus. The process shown in FIG. 11 corresponds to a program which is stored in a third embodiment of the computer-readable storage medium according to the present invention.

In FIG. 11, a step 51 decides whether or not the mailer at the receiving end, which is not adapted to the multi-media signature file, is started. When the decision result in the step 51 becomes YES, a step 52 receives an electronic mail from a transmitting end apparatus via a communication network such as the Internet and a known mail server (not shown). A step 53 displays a list of the received electronic mail on the display 102. A step 54 includes the multi-media signature file within the mail text of the electronic mail. A step 55 displays the mail text of the electronic mail, including the multi-media signature file, on the display 102, and the process ends.

In a case where the sender knows beforehand that the recipient is not adapted to the multi-media signature file, and the step 40 in the process shown in FIG. 3 includes the multi-media signature file within the mail text of the electronic mail to process the same as a single

00667723.002200

electronic mail, the received electronic mail is processed similarly to the normal electronic mail by the process shown in FIG. 11. However, the sender may indicate the importance of the electronic mail

5 by a position in the electronic mail where the multi-media signature file is included. For example, by including the multi-media signature file at a beginning of the mail text of the electronic mail, the recipient may comprehend from the multi-media

10 signature file which is displayed at the beginning position of the mail text of the electronic mail that the importance of the electronic mail is high.

Moreover, in the embodiments, the display position or the display order of the multi-media

15 signature file is changed depending on the parameter which indicates the display priority order or the parameter which indicates the importance. However, the display position or the display order of the signature file which includes no image information

20 or the signature part within the electronic mail may be changed depending on the display priority order or the importance. In the case of such a modification, the technique used to change the display position or the display order of the

25 signature file in the embodiments described above may be employed to change the display position or the display order of the signature consisting solely of characters, so that the display is made with a format which enables recognition of the importance.

30 In the embodiments described above, the image which includes the face of the sender is a still picture or a motion picture which is picked up. However, the image which includes the face of the sender may be a drawn portrait or an animation. In

35 other words, the image information which enables the sender to be specified in each of the embodiments described above includes still picture, motion

09667723-092200

picture, drawn portrait, animation and the like.

Further, the present invention is not limited to these embodiments, but various variations and modifications may be made without departing from the scope of the present invention.

10

15

20

25

30

35

09657723-092200

WHAT IS CLAIMED IS

5

1. An electronic apparatus comprising:
a transmitter transmitting an electronic mail
in which a symbol including image information which
enables a sender to be specified therefrom is
10 included within signature information of the
electronic mail.

15

2. The electronic apparatus as claimed in
claim 1, further comprising:
a generator generating the image information by
inputting an image of the sender.

20

3. The electronic apparatus as claimed in
25 claim 2, wherein said transmitter transmits the
electronic mail only when an error between the image
information generated by said generator and
prestored image information is within a
predetermined range.

30

4. The electronic apparatus as claimed in
35 claim 1, wherein the image information includes an
image related to at least a face of the sender.

09667723-092800

5. The electronic apparatus as claimed in claim 1, further comprising:

an adding unit adding to the signature information a parameter which indicates an importance of the electronic mail.

6. The electronic apparatus as claimed in claim 5, wherein the parameter indicates the importance of the electronic mail by a display format of the signature information.

7. The electronic apparatus as claimed in claim 5, wherein the parameter includes information which indicates a display priority order of the electronic mail.

8. The electronic apparatus as claimed in claim 5, wherein the parameter includes character, image and/or audio information indicating a summary of the electronic mail.

9. The electronic apparatus as claimed in claim 7, wherein the information which indicates the display priority order of the electronic mail includes at least one of a display position and a

09667723-092200

display timing of the signature information.

5

10. The electronic apparatus as claimed in claim 1, wherein the symbol includes information used for linking to the sender.

10

11. An electronic apparatus comprising:
a receiver receiving an electronic mail in
15 which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail; and
a display unit displaying the image information
20 of the electronic mail.

25

12. The electronic apparatus as claimed in claim 11, wherein the image information includes an image related to at least a face of the sender.

30

13. The electronic apparatus as claimed in claim 11, wherein the signature information further includes a parameter which indicates an
35 importance of the electronic mail, and further comprising:

a recognizing unit recognizing the importance

09667723.092200

based on the parameter.

5

14. The electronic apparatus as claimed in claim 11, wherein said receiver receives information which indicates an importance of the signature information, and further comprising:

10 a display controller displaying, based on the information which indicates the importance of the signature information, the signature information on said display unit with a format which enables recognition of the importance.

15

15. The electronic apparatus as claimed in claim 14, wherein the information which indicates the importance of the signature information is included within the signature information.

25

16. The electronic apparatus as claimed in claim 11, wherein said receiver receives information which indicates a display priority order of the signature information, and further comprising:

30 a determining unit determining a display position of the signature information based on the information which indicates the display priority order of the signature information.

35

00667723-092200

17. The electronic apparatus as claimed
in claim 11, wherein said receiver receives
information which indicates a display priority order
of the signature information, and further

5 comprising:

a determining unit determining a display timing
of the signature information based on the
information which indicates the display priority
order of the signature information.

10

18. The electronic apparatus as claimed
in claim 17, wherein the information which indicates
the display priority order of the signature
information is included within the signature
information.

20

19. The electronic apparatus as claimed
in claim 11, wherein the signature information
includes character, image and/or audio information
indicating a summary of the electronic mail.

30

20. The electronic apparatus as claimed
in claim 11, wherein the symbol includes information
used for linking to the sender.

35

09567723-092200

21. An electronic apparatus comprising:
a receiver receiving an electronic mail
including at least signature information and
information which indicates an importance thereof;
5 a display unit displaying the electronic mail;
and
a display controller displaying the signature
information on said display unit with a format which
enables recognition of the importance, based on the
10 information which indicates the importance.

22. An electronic apparatus comprising:
a transmitter transmitting an electronic mail
by adding to signature information of the electronic
mail a parameter which indicates an importance of
the electronic mail.

23. A control apparatus for an electronic
25 apparatus having a transmitter, comprising:
a controller controlling the transmitter to
transmit an electronic mail in which a symbol
including image information which enables a sender
to be specified therefrom is included within
30 signature information of the electronic mail.

24. A control apparatus for an electronic
35 apparatus having a receiver receiving an electronic
mail and a display unit displaying the received

09667723-092200

electronic mail, comprising:

5 a controller controlling said receiver to
receive an electronic mail in which a symbol
including image information which enables a sender
to be specified therefrom is included within
signature information of the electronic mail, and
for controlling said display unit to display the
image information of the electronic mail.

10

25. A control apparatus for an electronic
apparatus having a receiver receiving an electronic
15 mail including at least signature information and
information which indicates an importance thereof
and a display unit displaying the received
electronic mail, comprising:

20 a display controller controlling said display
unit to display the signature information with a
format which enables recognition of the importance,
based on the information which indicates the
importance.

25

26. A computer-readable storage medium
which stores a program for causing a computer to
30 have an electronic mail function, comprising:

a transmitting section causing the computer to
transmit an electronic mail in which a symbol
including image information which enables a sender
to be specified therefrom is included within
35 signature information of the electronic mail.

09667723-092200

27. A computer-readable storage medium which stores a program for causing a computer to have an electronic mail function, comprising:

- a receiving section causing the computer to
- 5 receive an electronic mail in which a symbol including image information which enables a sender to be specified therefrom is included within signature information of the electronic mail; and
- a display section causing the computer to
- 10 display the image information of the electronic mail.

28. A computer-readable storage medium as which stores a program for causing a computer to have an electronic mail function, comprising:

- a receiving section causing the computer to receive an electronic mail including at least
- 20 signature information and information which indicates an importance thereof;
- a display section causing the computer to display the electronic mail; and
- a display control section causing the computer
- 25 to display the signature information by said display section with a format which enables recognition of the importance, based on the information which indicates the importance.

30

35

00667723-092200

ABSTRACT OF THE DISCLOSURE

An electronic is constructed to include a transmitting section for transmitting an electronic mail in which a symbol including image information
5 which enables a sender to be specified therefrom is included within signature information of the electronic mail.

10

15

20

25

30

35

09667723-092200

FIG. 1






FIG. 2



002260-E2779960

FIG. 3



002260-8272960

FIG. 4

09667723-092200

The diagram shows a rectangular form with a dashed line at the top. On the left, there is a box labeled '1' containing a 'FRONT PORTRAIT' of a person. Below this box is a label '2'. To the right of the portrait box, there is a list of fields: 'Name : CREATOR NAME', ': NAME IN OTHER LANGUAGE', 'Company : POSITION NAME SUCH AS COMPANY NAME', 'E-mail : ADDRESS OF ELECTRONIC MAIL', and 'HomePage : ADDRESS OF WEBPAGE'. A bracket labeled '3' spans the top of these fields, and a bracket labeled '4' spans the bottom of these fields.

1

FRONT PORTRAIT


2

3

4

Name : CREATOR NAME
: NAME IN OTHER LANGUAGE
Company : POSITION NAME SUCH AS COMPANY NAME
E-mail : ADDRESS OF ELECTRONIC MAIL
HomePage : ADDRESS OF WEBPAGE

FIG. 5



002260-22/9980

FIG. 6

THIS IS ○○.

(TEXT)

GOOD BYE.

POSITION NAME

Name : NAME OF CREATOR

: NAME IN OTHER LANGUAGE

E-mail : ADDRESS OF ELECTRONIC MAIL

HomePage : URL OF WEBPAGE

FIG. 7




FIG. 8




FIG. 9






FIG. 10



002260-EE277966D

FIG. 11



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名を発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私番号、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

ELECTRONIC APPARATUS, CONTROL APPARATUS
AND STORAGE MEDIUM

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

the specification of which is attached hereto unless the following box is checked:

☐ 月 日に提出され、米国出願番号または特許協定条約
国際出願番号を _____ とし、
（該当する場合） _____ に訂正されました。

☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、
内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of
the above identified specification, including the claims, as
amended by any amendment referred to above.

私は、連邦規則典第37編第1条56項に定義されると
おり、特許資格の有無について重要な情報を開示する義務が
あることを認めます。

I acknowledge the duty to disclose information which is material to
patentability as defined in Title 37, Code of Federal Regulations,
Section 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration
(日本語宣言書)

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国以外の国の少なくとも一ヶ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している。本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s) (Patent Application)

外国で先行出願 Pat. Appln. No. 11-304627	Japan
(Number) (番号)	(Country) (国名)
(Number) (番号)	(Country) (国名)

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed

優先権主張なし

26/October/1999	<input type="checkbox"/>
(Day/Month/Year Filed) (出願年月日)	
(Day/Month/Year Filed) (出願年月日)	<input type="checkbox"/>

例: 第35編米国法典119条(a)項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

私は、下記の米国法典第35編112条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国特許出願提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間内に入平された、連邦規則典第37編1.56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.) (出願番号)	(Filing Date) (出願日)
(Application No.) (出願番号)	(Filing Date) (出願日)

私は、私自身の若輩に基づいて本宣言書で私が行なう表明が真実であり、かつ私の入手した情報と私の信じていることに基づき表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の表明を行なえば、出願した、又は委託許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned) (状況: 特許許可済、係属中、放棄済)
(Status: Patented, Pending, Abandoned) (状況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration

(日本語宣言書)

委任状: 私は下記の発明者として、本出願に関する一切の手続きを米特許庁事務局に対して遂行する弁理士または代理人として、下記の者を指名いたします。(弁護士、または代理人の氏名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

James D. Halsey, Jr., 22,729; Harry John Staas, 22,010; David M. Pitcher, 25,908; John C. Garvey, 28,607; J. Randall Beckers, 30,358; William F. Herbert, 31,024; Richard A. Gollhofer, 31,106; Mark J. Henry, 36,162; Gene M. Garner II, 34,172; Michael D. Stein, 37,240; Paul I. Kravetz, 35,230; Gerald P. Joyce, III, 37,648; Todd E. Mariette, 35,269; Harlan B. Williams, Jr., 34,756; George N. Stevens, 36,938; Michael C. Soldner, P-41,455 and William M. Schertler, 35,348 (agent)

書類送付先

Send Correspondence to:

STAAS & HALSEY
700 Eleventh Street, N.W.
Suite 500
Washington, D.C. 20001

直接電話連絡先: (名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

STAAS & HALSEY
(202) 434-1500

唯一または第一発明者名	Full name of sole or first inventor Hiroyuki Yoshizawa		
発明者の署名	日付	Inventor's signature	Date
		<i>Hiroyuki Yoshizawa</i>	September 11, 2000
住所	Residence Kawasaki, Japan		
国籍	Citizenship Japan		
私書箱	Post Office Address c/o FUJITSU LIMITED, 1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki-shi, Kanagawa, 211-8588 Japan		
第二共同発明者	Full name of second joint inventor, if any		
第二共同発明者	日付	Second inventor's signature	Date
住所	Residence		
国籍	Citizenship		
私書箱	Post Office Address		

(第三以降の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors.)